

Prof. DOĞAN DERYA ÖZTAŞ

Personal Information

Web: <https://avesis.ankara.edu.tr/doztas>

Education Information

Doctorate, Ankara University, Sağlık Bilimleri Enstitüsü, Protetik Diş Tedavisi (Dr), Turkey 1985 - 1990

Academic Titles / Tasks

Professor, Ankara University, Diş Hekimliği Fakültesi, Klinik Bilimler Bölümü, 2003 - Continues

Associate Professor, Ankara University, Diş Hekimliği Fakültesi, Klinik Bilimler Bölümü, 1997 - 2002

Expert, Ankara University, Diş Hekimliği Fakültesi, Klinik Bilimler Bölümü, 1990 - 1997

Research Assistant, Ankara University, Diş Hekimliği Fakültesi, Klinik Bilimler Bölümü, 1985 - 1990

Courses

DENTAL PORSELENİN KİMYASAL VE FİZİKSEL YAPI ÖZELLİKLERİ, Doctorate, 2018 - 2019

FULL PORSELEN KRON PRENSİPLERİ VE LABORATUVAR UYGULAMALARI, Undergraduate, 2018 - 2019

GELİŞTİRİLMİŞ AKRİLİK KRONLAR VE TİPLERİ, Undergraduate, 2018 - 2019

DÖKÜM TEKNİKLERİ, Postgraduate, 2018 - 2019

Advising Theses

ÖZTAŞ D. D., Zirkonya implant sistemlerinin başarısızlık tipi ve kırılma direnci açısından değerlendirilmesi, Dental Specialty, P.ATALAY(Student), 2018

ÖZTAŞ D. D., Tekrarlanan fırınlamalar ve farklı yüzey bitirme tekniklerinin lityum disilikat ile güçlendirilmiş CAD/CAM ve presleme yoluyla elde edilen cam seramiklerin bükülme dayanıklılığı ve yüzey pürüzlülüğü üzerine etkisi, Doctorate, M.TURKAL(Student), 2015

ÖZTAŞ D. D., İmplantlı destekli kronlarda, kron tutuculuğunu artırmak için yapılan yüzey işlemlerinin etkilerinin karşılaştırılması, Doctorate, D.GÜRSOY(Student), 2015

ÖZTAŞ D. D., Tam seramik sistemlerde tekrarlanan fırınlama işlemlerinin etkisinin densitometrik analizi ve X-RAY floresans (XRF) ile değerlendirilmesi, F.GÖNÜLDAŞ(Student), 2012

ÖZTAŞ D. D., Tam seramik sistemlerde tekrarlanan fırınlama işlemlerinin etkisinin densitometrik analizi ve R-RAY floresans (XRF) ile değerlendirilmesi, Doctorate, F.GÖNÜLDAŞ(Student), 2012

ÖZTAŞ D. D., Farklı seramik materyallerinin densitometrik analizi ve x-ışınının etkisinin değerlendirilmesi, Doctorate, E.TÜRK(Student), 2007

Published journal articles indexed by SCI, SSCI, and AHCI

1. **Fatigue resistance and fracture strength of narrow-diameter one-piece zirconia implants with angled abutments**

Articles Published in Other Journals

- I. **Evaluation of the Bond Strength of Ceramics to Metal Alloys Obtained by Different Techniques Using by Different Testing Methods**
GÖNÜLDAŞ F., ATALAY P., ÖZTAŞ D. D., ÖZTÜRK C.
Türkiye Klinikleri Journal of Dental Sciences, vol.25, no.1, pp.55-62, 2019 (Peer-Reviewed Journal)
- II. **İMLANT DESTEKLİ HİBRİT PROTEZLERİN YAPIM AŞAMALARI, KARŞILAŞILAN ZORLUKLAR VE ÇÖZÜMYOLLARI: VAKA RAPORU**
GÖNÜLDAŞ F., ÖZTÜRK C., ATALAY P., ÖZTAŞ D. D.
Ankara Üniversitesi Diş Hekimliği Fakültesi Dergisi, vol.45, pp.35-42, 2018 (Peer-Reviewed Journal)
- III. **İMLANT DESTEKLİ BAR TUTUCULARIN İDEAL POZİSYONLARININ BELİRLENMESİ VE TEKNİK KOMPLİKASYONLARIN ÇÖZÜMÜ: VAKA RAPORU**
GÖNÜLDAŞ F., ÖZTÜRK C., ATALAY P., ÖZTAŞ D. D.
Ankara Üniversitesi Diş Hekimliği Fakültesi dergisi, vol.45, pp.43-48, 2018 (Peer-Reviewed Journal)
- IV. **Farklı Yüzey Bitirme İşlemleri Uygulanan Farklı Yapıdaki Tam Seramik Materyallerinin Densitometrik Analizi**
GÖNÜLDAŞ F., ÖZTÜRK C., ATALAY P., ÖZTAŞ D. D.
Selcuk Dental Journal, no.3, pp.253-258, 2018 (Peer-Reviewed Journal)
- V. **Comparative Evaluation of the Radiopacity of Bone Graft Materials used in Dentistry.**
EMİNE ŞEBNEM K. Ç., AKBULUT N., ÖZTAŞ D. D.
Journal of Contemporary Dentistry, vol.7, no.3, pp.150-155, 2017 (Peer-Reviewed Journal)
- VI. **Tekrarlanan Fırınlamaların Farklı Tam Seramik Sistemler Üzerine Etkisinin Densitometrik Analizi**
GÖNÜLDAŞ F., ÖZTAŞ D. D.
Ankara Üniversitesi Dişhekimliği Dergisi, vol.42, no.3, pp.165-171, 2015 (Peer-Reviewed Journal)
- VII. **Okluzal Düzensizliklere Bağlı Temporomandibular Eklem Rahatsızlığının Protetik Rehabilitasyonu Vaka Raporu**
GÖNÜLDAŞ F., ÖZTAŞ D. D.
Ankara Üniversitesi Dişhekimliği Fakültesi Dergisi, vol.42, no.2, pp.117-121, 2015 (Peer-Reviewed Journal)
- VIII. **Marburg Crown System for Implant Supported Maxillary Overdenture Case Report**
GÖNÜLDAŞ F., POLAT S., ÖZTAŞ D. D.
Türkiye Klinikleri Journal of Dental Sciences, vol.21, no.2, pp.179-183, 2015 (Peer-Reviewed Journal)
- IX. **Farklı kendinden adeziv yapıştırma simanlarının IPS e-max cam seramik restorasyonların mikrosızıntı değerleri üzerine etkisi**
GÖNÜLDAŞ F., ÖZTAŞ D. D., ERKUT S., KARAHANOĞLU A., POLAT S.
Ankara Üniversitesi Diş Hekimliği Fakültesi Dergisi, vol.41, no.2, pp.89-98, 2014 (Peer-Reviewed Journal)
- X. **İmlant destekli sabit protezlerde farklı yapıştırma simanlarının çekme dirençlerinin karşılaştırılması**
GÖNÜLDAŞ F., ÖZTAŞ D. D., GÜRSOY D.
Ankara Üniversitesi Diş Hekimliği Fakültesi Dergisi, vol.41, no.3, pp.151-157, 2014 (Peer-Reviewed Journal)

Refereed Congress / Symposium Publications in Proceedings

- I. **Anatomik Limitasyonlara Rağmen Tam Dişsizlikte İmlant Destekli Tam Ark Restorasyonlar**
ÖZBEY Ö. N., GÖNÜLDAŞ F., ÖZTAŞ D. D.
TDB 27. Türk Diş Hekimliği Kongresi, Ankara, Turkey, 26 - 29 October 2023
- II. **A Digital Impression Technique to Transfer An Accurate Emergence Profile for Immediately Loaded**

Implant-Supported Restorations.

ÖZBEY Ö. N., GÖNÜLDAŞ F., ÖZTAŞ D. D.

46th EPA Congress, Vilnius, Lithuania, 14 - 16 September 2023

- III. **Posterior Bolgede Monoblok Zirkonya Implantların Yorulma ve Kirilma Dayanımlarının Değerlendirilmesi**
ATALAY P., ÖZTAŞ D. D., GÖNÜLDAŞ F.
Türk Diş Hekimleri Birliği (TDB) 24. Uluslararası Diş Hekimliği Kongresi, Ankara, Turkey, 27 September - 30 December 2018
- IV. **Shear Bond Strengths Between Resin Cement and All-Ceramics Fabricated by Using Different Techniques**
GÖNÜLDAŞ F., ATALAY P., ÖZTAŞ D. D.
FDI Annual World Dental Congress, Madrid, Spain, 29 August - 01 September 2017
- V. **Evaluation of the bond strength of ceramics to metal alloys obtained by different techniques using by different testing methods.**
ATALAY P., GÖNÜLDAŞ F., ÖZTAŞ D. D.
FDI Annual World Dental Congress, Madrid, Spain, 29 August - 01 September 2017
- VI. **The effect of hydrofluoric acid etching procedure on surface roughness of three different all-ceramic systems**
ATALAY P., GÖNÜLDAŞ F., ODABAŞI T., ÖZTAŞ D. D.
22nd Congress of BaSS, 4 - 06 May 2017
- VII. **Evaluation of shear bond strength of two different resin cements on leucite-reinforced glass-ceramic CAD/CAM blocks**
ÖZTAŞ D. D., GÖNÜLDAŞ F., ATALAY P., ODABAŞI T.
22nd Congress of BaSS, 4 - 06 May 2017
- VIII. **The Effect of Hydrofluoric Acid Etching Procedure on Surface Roughness of Three Different All-Ceramic Systems.**
ATALAY P., GÖNÜLDAŞ F., ÖZTAŞ D. D.
22nd BaSS Congress, 04 May 2017 - 07 May 2016
- IX. **Evaluation of Shear Bond Strength of Two Different Resin Cements on Leucite-Reinforced Glass-Ceramic CAD/CAM Block**
ÖZTAŞ D. D., GÖNÜLDAŞ F., ATALAY P.
22nd BaSS Congress, 04 May 2017 - 07 May 2016
- X. **Effects of different surface finishing techniques on the flexural strength of different all-ceramic systems**
ÖZTAŞ D. D., GÖNÜLDAŞ F., ÖZTÜRK C., ATALAY P.
21st Congress of BaSS, Banja Luka, Bosnia And Herzegovina, 12 - 15 May 2016
- XI. **Densitometric analyses of different all-ceramic systems treated with different surface finishing techniques**
GÖNÜLDAŞ F., ÖZTÜRK C., ATALAY P., ÖZTAŞ D. D.
21st Congress of BaSS, Banja Luka, Bosnia And Herzegovina, 12 - 15 May 2016
- XII. **Evaluation of effects of different surface finishing techniques on the translucency of different all-ceramic system**
ATALAY P., GÖNÜLDAŞ F., ÖZTÜRK C., ÖZTAŞ D. D.
21st Congress of BaSS, Banja Luka, Bosnia And Herzegovina, 12 - 15 May 2016
- XIII. **Effects of different surface finishing techniques on the surface roughness of different all-ceramic systems**
ÖZTÜRK C., GÖNÜLDAŞ F., ATALAY P., ÖZTAŞ D. D.
21st Congress of BaSS, Banja Luka, Bosnia And Herzegovina, 12 - 15 May 2016
- XIV. **Comparison of effects of laser roughening treatments on titanium surfaces**
AYALP D., GÖNÜLDAŞ F., ÖZTAŞ D. D.
38th Annual Conference of European Prosthodontic Association, İstanbul, Turkey, 25 - 27 September 2014

- XV. **Metal Ceramic Implant Supported Fixed Prosthesis with Milled Titanium Framework. A case report**
ÖZTÜRK C., GÖNÜLDAŞ F., ÖZTAŞ D. D.
18th Congress of the Balkan Stomatological Society, Üsküp, Macedonia, 25 - 28 April 2013
- XVI. **Implant Supported Fixed Prosthesis with Milled Titanium Framework, Custom Abutment and Telescopic Crowns: A case report**
ÖZTAŞ D. D., GÖNÜLDAŞ F.
18th Congress of the Balkan Stomatological Society, Üsküp, Macedonia, 25 - 28 April 2013
- XVII. **Different Surface Treatments for Retention of Implant Restoration.**
ÖZTAŞ D. D., GÜRSOY D., GÖNÜLDAŞ F.
17th Congress of the Balkan Stomatological Society, Tirane, Albania, 3 - 06 May 2012
- XVIII. **Comparison of three different cement types of cement-retained implant restorations**
GÖNÜLDAŞ F., GÜRSOY D., ÖZTAŞ D. D.
17th Congress of BaSS, Tirane, Albania, 3 - 06 May 2012
- XIX. **A case report: Prosthetic rehabilitation of extremely resorbed residual ridge in posterior maxilla.**
GÜRSOY D., ÖZTAŞ D. D., Özçelebi Ç., GÖNÜLDAŞ F.
4th Annual International Symposium of Advanced Protocols in Oral Implantology, Antalya, Turkey, 20 - 23 April 2012
- XX. **The Effect Of Repeated X-Rays On The Strength Of Fiber Posts**
GÖNÜLDAŞ F., ÖZTAŞ D. D., GÜRSOY D.
16th Congress of BaSS, Bükreş, Romania, 28 April - 01 May 2011
- XXI. **The Color Change Of Fiber Posts Depent On Repeated X-Rays**
ÖZTAŞ D. D., GÖNÜLDAŞ F., GÜRSOY D.
16th Congress of BaSS, Bükreş, Romania, 28 April - 01 May 2011
- XXII. **Prosthetic Rehabilitation Using Bar Holder On Maxilla And Ball Holder On Mandibula**
GÜRSOY D., GÖNÜLDAŞ F., ÖZTAŞ D. D.
16th Congress of BaSS, Bükreş, Romania, 28 April - 01 May 2011
- XXIII. **Implant Supported Hybrid Prothesis: A Case Report**
ÖZTAŞ D. D., GÖNÜLDAŞ F., BATAK B.
15th Congress of BaSS, Selanik, Greece, 22 - 25 April 2010
- XXIV. **Implant supported hybrid prosthesis: A case report**
ÖZTAŞ D. D., GÖNÜLDAŞ F., BATAK B.
15th Congress of the Balkan Stomatological Society (BaSS), Selanik, Greece, 22 - 25 April 2010
- XXV. **Influence Of Resin Based Luting Agent Type On The Marginal Adaptation Of Ips E.Max Glass-Ceramic Restorations**
GÖNÜLDAŞ F., ERKUT S., ÖZTAŞ D. D., KARAHANOĞLU A.
14th Congress of BaSS, Varna, Bulgaria, 6 - 09 May 2009
- XXVI. **The Effect Of Different Resin Based Luting Systems On The Microleakage Of Ips E.Max Glass-Ceramic Restorations**
ÖZTAŞ D. D., ERKUT S., GÖNÜLDAŞ F., KARAHANOĞLU A.
14th Congress of BaSS, Varna, Bulgaria, 6 - 09 May 2009
- XXVII. **The effect of etching systems by using a resin cement to the different full ceramics**
Günay Y., Murat S., Gürbüz A., Öztaş D. D.
12th Congress of the Balkan Stomatology Society, İstanbul, İstanbul, Turkey, 12 - 14 October 2007
- XXVIII. **Comparison of flexural strength of zirconium oxide and IPS empress II ceramics and the techniques**
Günay Y., Gürbüz A., Öztaş D. D., Murat S.
12th Congress of the Balkan Stomatology Society, İstanbul, Turkey, 12 - 14 October 2007
- XXIX. **The effect of surface treatment methods to two different full ceramics**
Yumuşhan G., Öztaş D. D., Gürbüz A., Murat S.
12th Congress of the Balkan Stomatology Society, İstanbul, Turkey, 12 - 14 October 2007
- XXX. **The effect of silane priming on the shear bond strength of resin luting cement to porcelain and metal surfaces**

AKALTAN K. F., ÖZTAŞ D. D., ÖZDEN A. N.

6 th Congress of the Balkan Stomatological Society, 3 - 06 May 2001

Metrics

Publication: 44